



TMS HTML CONTROLS PACK

DEVELOPERS

QUICK START GUIDE

April 2017
Copyright © 2017 by tmssoftware.com bvba
Web: <http://www.tmssoftware.com>
Email : info@tmssoftware.com

Contents

Supported Delphi and C++Builder versions	3
Supported Operating Systems	4
Installation	5
Registered version with Delphi 7,2007,2009,2010,XE,XE2,XE3,XE4,XE5,XE6,XE7,XE8,10 Seattle,10.1 Berlin,10.2 Tokyo.....	5
Registered version with C++Builder 2007,2009,2010,XE,XE2,XE3,XE4,XE5,XE6,XE7,XE8,10 Seattle, 10.1 Berlin,10.2 Tokyo	5
Installing online help	6
Upgrading from previous version	6
Updates	8
Support	9
Website login	10
License agreement	11
TMS HTML Controls Pack single developer license	11
TMS HTML Controls Pack site license	12
Termination of license	13
Component overview	14

Supported Delphi and C++Builder versions

The TMS HTML Controls Pack supports following development environments:

Borland Delphi 7 (Professional, Enterprise, Architect)
CodeGear Delphi 2007 (Professional, Enterprise)
CodeGear Delphi 2009 (Professional, Enterprise)
Embarcadero Delphi 2010 (Professional, Enterprise)
Embarcadero Delphi XE (Professional, Enterprise)
Embarcadero Delphi XE2 (Professional, Enterprise)
Embarcadero Delphi XE3 (Professional, Enterprise)
Embarcadero Delphi XE4 (Professional, Enterprise)
Embarcadero Delphi XE5 (Professional, Enterprise)
Embarcadero Delphi XE6 (Professional, Enterprise)
Embarcadero Delphi XE7 (Professional, Enterprise)
Embarcadero Delphi XE8 (Professional, Enterprise)
Embarcadero Delphi 10 Seattle (Professional, Enterprise)
Embarcadero Delphi 10.1 Berlin (Professional, Enterprise)
Embarcadero Delphi 10.2 Tokyo (Professional, Enterprise)

CodeGear C++Builder 2007 (Professional, Enterprise)
CodeGear C++Builder 2009 (Professional, Enterprise)
Embarcadero C++Builder 2010 (Professional, Enterprise)
Embarcadero C++Builder XE (Professional, Enterprise)
Embarcadero C++Builder XE2 (Professional, Enterprise)
Embarcadero C++Builder XE3 (Professional, Enterprise)
Embarcadero C++Builder XE4 (Professional, Enterprise)
Embarcadero C++Builder XE5 (Professional, Enterprise)
Embarcadero C++Builder XE6 (Professional, Enterprise)
Embarcadero C++Builder XE7 (Professional, Enterprise)
Embarcadero C++Builder XE8 (Professional, Enterprise)
Embarcadero C++Builder 10 Seattle (Professional, Enterprise)
Embarcadero C++Builder 10.1 Berlin (Professional, Enterprise)
Embarcadero C++Builder 10.2 Tokyo (Professional, Enterprise)

The TMS HTML Controls Pack can be simultaneously installed and used on multiple development environments on a single machine.

Supported Operating Systems

Windows 98
Windows Millenium
Windows 2000
Windows XP
Windows 2003
Windows Vista
Windows 2008
Windows 7
Windows 8
Windows 10

Installation

Registered version with Delphi

7,2007,2009,2010,XE,XE2,XE3,XE4,XE5,XE6,XE7,XE8,10 Seattle,10.1 Berlin,10.2 Tokyo

- Unzip the file TMSHTMLControlsREG.ZIP to a new directory "TMSHTMLControls"
- Add the directory "TMSHTMLControls" to your Delphi library path
- Open the file TMSHTMLControlsDx.DPK, compile and install the package.

with x:

x = 7 for Delphi 7
x = 2007 for Delphi 2007
x = 2009 for Delphi 2009
x = 2010 for Delphi 2010
x = XE for Delphi XE
x = XE2 for Delphi XE2
x = XE3 for Delphi XE3
x = XE4 for Delphi XE4
x = XE5 for Delphi XE5
x = XE6 for Delphi XE6
x = XE7 for Delphi XE7
x = XE8 for Delphi XE8
x = XE9 for Delphi 10 Seattle
x = XE10 for Delphi 10.1 Berlin
x = XE11 for Delphi 10.2 Tokyo

Registered version with C++Builder

2007,2009,2010,XE,XE2,XE3,XE4,XE5,XE6,XE7,XE8,10 Seattle, 10.1 Berlin,10.2 Tokyo

- Unzip the file TMSHTMLControlsREG.ZIP to a new directory "TMSHTMLControls"
- Add the directory "TMSHTMLControls" to your include & resource path.
- From the command line, execute:

RSVARS.BAT (from the C++Builder x bin folder)

MSBUILD TMSHTMLControlsDx.dproj

In the IDE, from "Component" / "Install package", add the compiled package TMSHTMLControlsDx.bpl from the default BPL output folder

with x:

x = 2007 for C++Builder 2007
x = 2009 for C++Builder 2009
x = 2010 for C++Builder 2010
x = XE for C++Builder XE
x = XE2 for C++Builder XE2
x = XE3 for C++Builder XE3
x = XE4 for C++Builder XE4
x = XE5 for C++Builder XE5
x = XE6 for C++Builder XE6
x = XE7 for C++Builder XE7
x = XE8 for C++Builder XE8
x = XE9 for C++Builder 10 Seattle
x = XE10 for C++Builder 10.1 Berlin
x = XE11 for C++Builder 10.2 Tokyo

Installing online help

Delphi 7

In Delphi 7 add TMSHTMLd7.ALS FIRST in the {\$DELPHI}\Help dir.

In the Delphi help menu, choose Customize
Add the appropriate .HLP file to the list of help files in the Index tab
and save.

Delphi 2006, 2007, 2009, 2010, XE, XE2 & C++Builder 2006, 2007, 2009, 2010, XE,XE2

Close the IDE, make sure the process DEXPLORER.EXE is not longer running.

Delphi 2006 Execute: RegHelp2 /i TMSHTMLdBds4W.hxx
Delphi 2007 Execute: RegHelp2 /i TMSHTMLdBds5W.hxx
Delphi 2009 Execute: RegHelp2 /i TMSHTMLdRs2009W.hxx
Delphi 2010 Execute: RegHelp2 /i TMSHTMLdRs2010W.hxx
Delphi XE Execute: RegHelp2 /i TMSHTMLdRsXEW.hxx
Delphi XE2 Execute: RegHelp2 /i TMSHTMLdRsXE2W.hxx

C++Builder 2006 Execute: RegHelp2 /i TMSHTMLbBds4W.hxx
C++Builder 2007 Execute: RegHelp2 /i TMSHTMLbBds5W.hxx
C++Builder 2009 Execute: RegHelp2 /i TMSHTMLbRs2009W.hxx
C++Builder 2010 Execute: RegHelp2 /i TMSHTMLbRs2010W.hxx
C++Builder XE Execute: RegHelp2 /i TMSHTMLbRsXEW.hxx
C++Builder XE2 Execute: RegHelp2 /i TMSHTMLbRsXE2W.hxx

Upgrading from previous version

As new properties have been added, some properties have changed, follow

these steps for a trouble free upgrade :

1) Uninstall TMSHTMLControls

-Delphi 7,,2007,2009,2010,XE,XE2,XE3,XE4,XE5,XE6,XE7,XE8,10 Seattle,10.1 Berlin,10.2 Tokyo

In the Component Menu, Install packages and remove the package in which TMS HTML Controls Pack is located.

- C++Builder 2007,2009,2010,XE,XE2,XE3,XE4,XE5,XE6,XE7,XE8,10 Seattle,10.1 Berlin,10.2 Tokyo

In the Component Menu, Install packages and remove the package in which TMS HTML Controls Pack is located.

2) Remove all files related to TMS HTML Controls Pack on your HD.
Sometimes, several copies of a previous version exist and confuse the environment

3) Install the new version

4) If any projects have been created with a previous version of TMS HTML Controls Pack, open these projects and open ALL forms in which the HTML Controls Pack has been used. While opening the forms, ignore all errors related to properties of these HTML controls. Save and close all these forms and only then recompile the application.

Updates

The TMS HTML Controls Pack comes with a full version cycle of free updates. A full version cycle means that from version x.y to version x+1.y, the updates are free. For example, if a registration starts at version v2.1, updates are free till version v3.1. The latest date of the updates can be seen after login on our website (see next section). This date reflects the exact file date of the latest update.

Support

TMS HTML Controls Pack registered users have priority support on the special email:
support@tmssoftware.com

For peer to peer support for registered users only, a newsgroup is available. Details about the newsgroup server and login can be found on the registered users page after login on our website.

Website login


Registered users of the TMS HTML Controls Pack receive a code with which it is possible to login on the website to obtain:

- Free updates for a full version cycle of the components.
- Discount offers on other products
- Access to additional documentation
- Access to samples projects
- Change registration email
- Information for peer to peer support newsgroup access

Login on the website is done with:

- Email with which you registered the TMS Edit Controls Pack
- Code that is sent by email with the first registered version

Direct link to login: <http://www.tmssoftware.com/site/login.asp>



Important notes

Keep this email and code in a safe place.

If for some reason, your registration email address changes, the only way to have this updated is by sending email to TMS software to request for a change. The email must be sent from the original email address and specify the new address to change to.

License agreement

The TMS HTML Controls Pack is available with two licensing schemes, a single developer license and a site license. The details of the two license types are below:

TMS HTML Controls Pack single developer license

The single developer license of the component gives you the right to:

- Using the component for development of applications or any type of software module in general by a single developer within the company holding the license.
- Sell any commercial compiled application with the control, published by the company holding the license
- Make modifications to the source code of component for own use.
- Use the component and source code on all development systems used by the developer assigned by the company holding the license.
- Request future versions of the component at any time either through the web or by email for a full version cycle of the component. After expiry of the registration TMS software can no longer provide any old version of software, documentation or samples. TMS software is not a backup service and expects backups to be made by the licensed user.
- Access to priority email support by the single developer assigned by the company holding the license.
- Sell any number of applications in any quantity without any additional run-time fees or royalties required.

The license agreement prevents you from:

- Distributing parts or full source code of any component from TMS software.
- Using parts or full source code of components from the TMS software for creating any type of other components that are distributed or sold with or without source code.
- Changing the source code of any component from TMS software and sell or distribute this as a modified product.
- Creating a descendant compiled product such as OCX or ActiveX control and sell or distribute this as a product.
- Using the control in applications sold with different publisher name than the company holding the license.
- Transfer the license to any other developer than the original registered developer
- Using the components by multiple developers in the company holding the license
- Transfer the license to any other developer than the original registered developer
- Using the components by multiple developers in the company holding the license

TMS HTML Controls Pack site license

The site license of the component gives you the right to:

- Using the component for development of applications or any type of software module in general by a single developer within the company holding the license.
- Sell any commercial compiled application with the control, published by the company holding the license
- Make modifications to the source code of component for own use.
- Use the component and source code on all development systems used by the developer assigned by the company holding the license.
- Request future versions of the component at any time either through the web or by email for a full version cycle of the component. After expiry of the registration TMS software can no longer provide any old version of software, documentation or samples. TMS software is not a backup service and expects backups to be made by the licensed user.
- Access to priority email support by the single developer assigned by the company holding the license.
- Sell any number of applications in any quantity without any additional run-time fees or royalties required.
- Change at any time the number of developers using the TMS software components within the company holding the license.
- Notify TMS software at any time to allow new developers within the company to access the priority email support.
- Allow any number of developers within the company holding the license to access the web based interface for obtaining product updates.

The site license agreement prevents you from:

- Distributing parts or full source code of any component from TMS software.
- Using parts or full source code of components from the TMS software for creating any type of other components that are distributed or sold with or without source code.
- Changing the source code of any component from TMS software and sell or distribute this as a modified product.
- Creating a descendant compiled product such as OCX or ActiveX control and sell or distribute this as a product.
- Using the control in applications sold with different publisher name than the company holding the license.
- Transfer the license to any other developer not working for the company holding the license.

Termination of license

The license agreement terminates immediately after violation of any of the terms and conditions described. A termination of the license means that the company has no longer any rights to use the components for development, sell applications using the components, obtain free updates of the components and is no longer entitled to email support or any other form of support.

The company or developer holding the license is responsible for respecting the terms and conditions of the license agreement and shall thus make sure that no other person has access to the TMS Components to use these for any purposes that violate the license agreement.

Component overview

TDBHTMLLabel

A data-aware label with HTML formatting capabilities

THTMLButtons

Standard, flat, Borland and TMS Checkbox, Radiobutton, RadioGroup, Button with HTML formatted captions

THTMLCheckList & THTMLListBox

A listbox & checklist that can contain text with HTML formatting capabilities

THTMLComboBox

A combobox that can contain text with HTML formatting capabilities

THTMLCredit

Automatic scrolling credits label with HTML formatting capabilities

THTMLDialog

Message Dialog with HTML formatting capabilities

THTMLForm

Create dynamic runtime HTML forms with controls

THTMLHint

Gives your applications HTML formatted hints

THTMLLabel

A label with HTML formatting capabilities

THTMLPopup

A MS Messenger like popup box with HTML formatting capabilities

THTMLStaticText

A label with HTML formatting capabilities

THTMLStatusBar

A statusbar with panels that can contain text with HTML formatting & more

THTMLTreeList & THTMLTreeView

A treeview and listview combined with columns with different formatting capabilities