

FNC

# TMS FNC SpreadGrid DEVELOPERS GUIDE

Documentation: December, 2016  
Copyright © 2016 by tmssoftware.com bvba  
Web: <http://www.tmssoftware.com>  
Email: [info@tmssoftware.com](mailto:info@tmssoftware.com)

Table of contents

---

<b>Description</b> .....	3
<b>Features</b> .....	4
<b>Cell acces and function overview</b> .....	5
<b>Custom function libraries</b> .....	9

## Description

Powerful spreadsheet function calculation support added to the full FNC Grid feature set.

	A	B	C	D	
1	1	=SUM(A1:A10)	1	=C1+C2	
2	2	=AVERAGE(A1:A10)	2	=C1-C2	
3	3	=COUNT(A1:A10)	3	=C1*C2	
4	4	=STDEV(A1:A10)	4	=C1/C2	
5	5	=VAR(A1:A10)		=D1+D2+D3+D4	
6	6	=MAX(A1:A10)			
7	7	=MIN(A1:A10)			
8	8	=DEVSQ(A1:A10)	0.5	=SIN(C8)	sin
9	9			=COS(C8)	co
10	10			=TAN(C8)	tan
11				=COTAN(C8)	co

## Features

TTMSFNCSpreadGrid extends the full power of TTMSFNCGrid with formulas.

- Simple formula editing interface
- Auto recalculation
- Native XLS file import and export
- Single cell recalculation, full recalculation
- Extensive range of mathematical functions
- Save with formulas or formula results only
- Single cell references in formulas
- Cell range formulas
- Formula precision for grid on cell basis
- Display formulas or formula results
- Date / time functions
- Intelligent formula aware copy and paste
- Can be extended with custom functions
- Cell names
- Cell name mode can be RxCy style or A1-style
- Inter TTMSFNCSpreadGrid instances cell references in formulas
- Math library infrastructure to allow easy extending TTMSFNCSpreadGrid with custom functions

## Cell acces and function overview

This is an overview of using cell references and built-in functions in TTMSFNCSpreadGrid. Formulas can contain cell references, constants, single parameter functions, multi parameters functions, cell name references and cell range functions.

### Cell references

If CellNameMode is nmRC then cell references are in RxCx format, where x is the row number and y is the column number. If CellNameMode is nmA1 then a cell reference consists of 2 parts : the column identifier and the row identifier. The column identifier is a character, starting from A for the first column, B for the second column, etc.. After column 26, the column identifier is a double character string AA, AB, etc... The row identifier starts at 1 for the first editable row.

#### Example

cell 1,1 is A1, cell 2,2 is B2, cell 27,27 is AA27

Cell ranges are specified by the top left cell and bottom right cell. As such, the first 15 cells in column 1, can be specified as A1:A15.

Cell formulas are by default relative. That means that when cell formulas are involved in copy & paste operations or row/column insert and delete, TTMSFNCSpreadGrid will automatically adapt the formulas to address the proper relative cells. Absolute cell addresses will not be modified during clipboard copy & paste operations or during row/column insert and delete. Prefix the cell address row or column part with '\$' to indicate an absolute cell address.

#### Example

A\$1 : A is a relative column address, 1 is an absolute row address

\$B\$2 : B is an absolute column address, 2 is an absolute row address

### Cell ranges

Cell ranges are identified by topleft cell & bottomright cell split by ':'

#### Example

A1:B3 : specifies the range of cells from cell 1,1 to cell 2,3

\$A\$1:\$B\$3 : specifies an absolute cell range from cell 1,1 to cell 2,3

### Constants

PI, E,True,False

### Single parameter functions

ABS(parameter) : absolute value

ROUND(parameter) : rounds value

TRUNC(parameter) : truncates value

CEILING(parameter; significance) : rounds the parameter to the nearest multiple of significance

FRAC(parameter) : returns fractional part of value

FACT(parameter) : factorial of value

INT(parameter) : int part of value

SIN(parameter) : sine of value

COS(parameter) : cosine of value

TAN(parameter) : tangens of value

COTAN(parameter) : cotangens of value

SINH(parameter) : hyperbolic sine of value

COSH(parameter) : hyperbolic cosine of value

TANH(parameter) : hyperbolic tangens of value

COTANH(parameter) : hyperbolic cotangens of value

ASIN(parameter) : arcsin of value

ACOS(parameter) : arccos of value

ATAN(parameter) : arctangens of value

ACOTAN(parameter) : arccotangens of value

LN(parameter) : natural logarithm of value

LOG2(parameter) : base 2 logarithm of value

LOG10(parameter) : base 10 logarithm of value

EXP(parameter) : exponential of value

RAND(parameter) : random between 0 and value

RADIANS(parameter) : converts degrees to radians

DEGREES(parameter) : converts radians to degrees

SQR(parameter) : square of value

SQRT(parameter) : square root of value

CUBE(parameter) : cubic square of value

CHS(parameter) : change sign

POWER(parameter,exp) : parameter to exponent exp

Multi parameter functions :

LT(param1;param2) : larger than : returns 1 of param1>param2

ST(param1;param2) : smaller than : returns 1 of param1<param2

EQ(param1;param2) : equal : returns 1 of param1=param2 else 0

CHOOSE(sel;param1;param2) : returns param1 if sel>0 else param2

## Cell range functions

SUM(range) : sum of all cell values in range

PRODUCT(range) : product of all cell values in range

AVERAGE(range) : average of all cell values in range

MIN(range) : min. cell value in range

MAX(range) : max. cell value in range

COUNT(range) : nr. of cells in range

COUNTA(range) : nr of non blank cells in range

COUNTIF(range;condition) : nr of cells meeting condition in range

STDEV(range) : standard deviation of range

STDEVP(range) : standard deviation of total population of range

DEVSQ(range) : sum of squares of deviations of range

VAR(range) : variance of range

## Date & Time functions

HOUR(parameter) : gets the hour from a cell containing a valid time string

MIN(parameter) : gets the minute from a cell containing a valid time string

SECOND(parameter) : gets the second from a cell containing a valid time string

DAY(parameter) : gets the day from a cell containing a valid time string

MONTH(parameter) : gets the month from a cell containing a valid time string

YEAR(parameter) : gets the year from a cell containing a valid time string

WEEKDAY(parameter) : gets the day of the week from a cell containing a valid time string

TODAY : gets the current day

NOW : gets the current time

## Logical functions

AND(parameters) : logical AND function

OR(parameters) : logical OR function

NAND(parameters) : logical NAND function

NOR(parameters) : logical NOR function

XOR(parameters) : logical XOR function

NOT(parameter) : logical NOT function

TRUE : constant returning true

FALSE: constant returning false

## String functions

LEN(parameter) : returns the length of a string value

LOWER(parameter) : returns string in lowercase

UPPER(parameter) : returns string in uppercase

CONCATENATE(parameter list) : returns concatenated string of parameters

SUBSTITUTE(param text; param oldtext; param new text) : returns string with oldtext replaced by newtext

LEFT(param string;len integer) : returns first len characters of string

RIGHT(param string;len integer) : returns last len characters of string

MID(param string; pos; len: integer): returns len characters starting from position pos in string

TRIM(param) : removes all spaces from text except spaces between words

SEARCH(find text; text) : returns position of string find text in text

LOOKUP(param; range1, range2) : returns the value of the element in range2 that has the index of the matching element in range1 for param

MATCH(lookup; range) : returns the index of the element param in the range

INDEX(range; val1, val2) : returns the value of element at index val1, val2 in the range



## Custom function libraries

TTMSFNCSpreadGrid allows to use libraries that extend the built-in functions. A function library is a class that descends from TMathLib defined in the unit AdvPars. In order to be able to use multiple different function libraries simultaneously, a TMathLib component can be assigned to TTMSFNCSpreadGrid via TTMSFNCSpreadGrid.Libs. Add a new TLibBinderItem to TMSFNCSpreadGrid.Libs and assign the math lib instance to TLibBinderItem.MathLib.

## Anatomy of TMathLib

TMathLib implements a number of public virtual functions that can be overridden to implement custom functions:

```
function HandlesFunction (FuncName:string) :Boolean;
```

```
function HandlesStrFunction (FuncName:string) :Boolean;
```

```
function CalcFunction (FuncName:string;Params:TParamList;var  
ErrType,ErrParam: Integer) :Double;
```

```
function CalcStrFunction (FuncName:string;Params:TStringList;var  
ErrType,ErrParam: Integer) :string;
```

## Implemented functions

The methods HandlesFunction and HandlesStrFunction are simple methods being called by the TLibBinder and assumed to return true when the library implements the function with the name 'FuncName'.

### Example

```
function TMiscMathLib.HandlesFunction (FuncName: string) : boolean;
```

### begin

```
    Result := (FuncName = 'HARMEAN') or  
              (FuncName = 'GEOMEAN');
```

### end;

This shows a library implementing 2 statistical functions HARMEAN and GEOMEAN. HandlesFunction should return true for functions that return a floating point result type. If a library implements a function with a string result, the HandlesStrFunction should be used.

## Function calculation

The method CalcFunction implements the actual calculation of the function. The first parameter is the function name that should be calculated, the second parameter is a list of function parameters. The 2 last parameters can be set if an incorrect parameter is specified and the index of this incorrect parameter.

## Example

```

function TMiscMathLib.CalcFunction(FuncName: string; Params: TParamList;
    var ErrType,ErrParam: Integer): Double;
var
    k: Integer;
    d: Double;

begin
    Result := 0.0;

    ErrType := Error_NoError;

    if FuncName = 'HARMEAN' then
    begin
        d := 0;
        for k := 1 to Params.Count do
        begin
            if Params.Items[k - 1] <> 0 then
            begin
                d := d + (1 / Params.Items[k - 1]);
            end
            else
            begin
                ErrType := Error_DivisionByZero;
                ErrParam := k - 1;
            end;
            Result := 1/d * Params.Count;
        end;
        Exit;
    end;

    if FuncName = 'GEOMEAN' then
    begin
        d := 1;
        for k := 1 to Params.Count do
        begin
            d := d * Params.Items[k - 1];
        end;
        if Params.Count > 0 then
        begin
            Result := exp(1/Params.Count * ln(d));
        end
        else
        begin
            ErrType := Error_DivisionByZero;
            ErrParam := 0;
        end;
    end;
end;

```

In this example, the functions HARMEAN and GEOMEAN are implemented. This shows how the method loops through the number of parameters passed to the function and calculates the result. As shown here in the code, a parameter of these functions cannot be zero. If a zero parameter is found, the method sets the error type to Error\_DivisionByZero and if needed the index of the parameter that caused the actual error. The supported types of errors are:

```
Error_NoError = 0;
Error_NoFormula = 1;
Error_DivisionByZero = 2;
Error_InvalidValue = 3;
Error_InvalidCellRef = 4;
Error_InvalidRangeRef = 5;
Error_InvalidGridRef = 6;
Error_InvalidNrOfParams = 7;
Error_CircularReference = 8;
Error_NoOpenParenthesis = 9;
Error_NoCloseParenthesis = 10;
Error_PrematureEndOfFormula = 11;
Error_UnknownError = 12;
Error_InvalidQualifier = 13;
Error_InvalidTokenAtPosition = 14;
Error_Overflow = 15;
Error_Underflow = 16;
Error_CircularRange = 17;
```

The string function handling is equivalent, as shown in this sample code:

```
function TStringMathLib.CalcStrFunction(FuncName: string;
    Params: TStringList; var ErrType, ErrParam: Integer): String;
var
    i: Integer;
    s: string;
begin
    Result := '';
    ErrType := 0;

    if Params.Count = 0 then
    begin
        ErrType := Error_InvalidNrOfParams;
        Exit;
    end;

    Result := '';

    if FuncName = 'REVERSE' then
    begin
        s := Params.Strings[0];
        for i := 1 to Length(s) do
```

```
        Result := Result + s[Length(s)- i + 1];
    end;

    if FuncName = 'CAPITALIZE' then
    begin
        s := Params.Strings[0];
        for i := 1 to Length(s) do
            if (i = 1) or ( (i > 1) and (s[i - 1]=' ')) then
                Result := Result + upcase(s[i])
            else
                Result := Result + s[i];
            end;
        end;
    end;

    function TStringMathLib.HandlesStrFunction(FuncName: string): Boolean;
    begin
        Result := (FuncName = 'REVERSE') or
            (FuncName = 'CAPITALIZE');
    end;
```